

TOYOTA FORKLIFT MODEL BATTERY COMPARTMENT SIZE (Inches)	V O L T	BATTERY MODEL #	CAPACITY 6 HOUR RATE Ah	kWh	BATTERY X in. (Length)	DIMENSIONS Y in. (Width)	Z in. (Height)	TOTAL BATTERY WEIGHT (Lbs.)
--	------------------	--------------------	----------------------------------	-----	---------------------------------	-----------------------------------	----------------------	--------------------------------------

Class 1

5FBCU15 (36v/34"L) 36 V 18-85-17 680 23.9 33.1 25.6 22.9 2142
34.60 26.80 23.00

N/Cov. SB350Gry Connector: 1840 Min. Weight: Term: B16 4 Wheel-Sit down Trk dims:

5FBCU15 (48v/34"L) 48 V 24-85-13 510 23.9 30.6 25.4 22.9 2256
34.60 26.80 23.00

N/Cov. SB350Gry Connector: 1840 Min. Weight: Term: B16 4 Wheel-Sit down Trk dims:

5FBCU15(36v/31"L) 36 V 24-85-15 595 31.8 23.6 22.9 2568
31.61 25.79 23.00

N/Cov. SB350Gry Connector: 1840 Min. Weight: Term: B16 4 Wheel-Sit down

5FBCU15(48v/31"L) 48 V 24-85-13 510 23.9 30.6 25.4 22.9 2256
31.61 25.79 23.00

N/Cov. SB350Gry Connector: 1840 Min. Weight: Term: B16 4 Wheel-Sit down Trk dims:

5FBCU18(36v/27"W) 36 V 18-85-23 935 32.8 38.1 26.9 22.9 2736
5FBCU20(36v/27"W)
5FBCU25(36v/27"W)
38.74 27.20 23.00

N/Cov. SB350Gry Connector: 2400 Min. Weight: Term: B16 4 Wheel-Sit down Trk dims:

5FBCU18(36v/28"W) 36 V 18-85-23 935 32.8 38.1 26.9 22.9 2736
5FBCU20(36v/28"W)
5FBCU25(36v/28"W)
39.10 28.00 23.00

N/Cov. SB350Gry Connector: 2400 Min. Weight: Term: B16 4 Wheel-Sit down Trk dims:

5FBCU18(48v/27"W) 48 V 24-85-17 680 31.8 38.1 26.9 22.9 2856
5FBCU20(48v/27"W)
5FBCU25(48v/27"W)
38.74 27.20 23.00

N/Cov. SB350Gry Connector: 2400 Min. Weight: Term: B16 4 Wheel-Sit down Trk dims:

5FBCU18(48v/28"W) 48 V 24-85-17 680 31.8 38.1 26.9 22.9 2856
5FBCU20(48v/28"W)
5FBCU25(48v/28"W)
39.10 28.00 23.00

N/Cov. SB350Gry Connector: 2400 Min. Weight: Term: B16 4 Wheel-Sit down Trk dims:

TOYOTA FORKLIFT MODEL BATTERY COMPARTMENT SIZE (Inches)	V O L T	BATTERY MODEL #	CAPACITY 6 HOUR RATE Ah kWh	BATTERY X in. (Length)	DIMENSIONS Y in. (Width)	Z in. (Height)	TOTAL BATTERY WEIGHT (Lbs.)
--	------------------	--------------------	--------------------------------------	---------------------------------	-----------------------------------	----------------------	--------------------------------------

5FBCUH20(36v/33"W) 36 V 18-85-27 1105 38.8 38.1 31.4 22.9 3240
5FBCU28(36v/33"W)
5FBCUH25(36v/33"W)
5FBCU30(36v/33"W)
38.74 33.15 23.00

N/Cov. SB350Gry Connector: 3000 Min. Weight: Term: B16 4 Wheel-Sit down Trk dims:

5FBCUH20(36v/34"W) 36 V 18-85-29 1190 41.8 38.2 33.6 22.9 3492
5FBCU28(36v/34"W)
5FBCUH25(36v/34"W)
5FBCU30(36v/34"W)
39.10 34.20 23.00

N/Cov. SB350Gry Connector: 3000 Min. Weight: Term: B16 4 Wheel-Sit down Trk dims:

5FBCUH20(48v/33"W) 48 V 24-85-21 850 39.8 38.1 32.6 22.9 3408
5FBCU28(48v/33"W)
5FBCUH25(48v/33"W)
5FBCU30(48v/33"W)
38.74 33.15 23.00

N/Cov. SB350Gry Connector: 3000 Min. Weight: Term: B16 4 Wheel-Sit down Trk dims:

5FBCUH20(48v/34"W) 48 V 24-85-21 850 39.8 38.1 32.6 22.9 3408
5FBCU28(48v/34"W)
5FBCUH25(48v/34"W)
5FBCU30(48v/34"W)
39.10 34.20 23.00

N/Cov. SB350Gry Connector: 3000 Min. Weight: Term: B16 4 Wheel-Sit down Trk dims:

5FBE10(36v) 36 V 18-85-11 Call for more information (630) 851-5800 1458
5FBE13(36v)
36.50 17.70 23.00

N/Cov. SB350Gry Connector: 1145 Min. Weight: Term: B10 3 Wheel-Sit down Trk dims:

5FBE10(48v) 48 V 24-85-9 Call for more information (630) 851-5800 1680
5FBE13(48v)
36.50 17.70 23.00

N/Cov. SB350Gry Connector: 1145 Min. Weight: Term: B10 3 Wheel-Sit down Trk dims:

TOYOTA FORKLIFT MODEL BATTERY COMPARTMENT SIZE (Inches)	V O L T	BATTERY MODEL #	CAPACITY 6 HOUR RATE Ah	kWh	BATTERY X in. (Length)	DIMENSIONS Y in. (Width)	Z in. (Height)	TOTAL BATTERY WEIGHT (Lbs.)
5FBE15(36v/21"W) 5FBE18(36v/21"W) 5FBE20(36v/21"W) 39.09 20.75 23.00	36 V	18-85-17	680	23.9	38.1	20.1	22.9	2142
N/Cov. SB350Gry Connector: 1540 Min. Weight: Term: B10 3 Wheel-Sit down								
5FBE15(36v/22"W) 5FBE18(36v/22"W) 5FBE20(36v/22"W) 39.30 21.70 23.00	36 V	18-85-17	680	23.9	38.1	20.1	22.9	2142
N/Cov. SB350Gry Connector: 1540 Min. Weight: Term: B10 3 Wheel-Sit down								
5FBE15(48v/21"W) 5FBE18(48v/21"W) 5FBE20(48v/21"W) 39.09 20.75 23.00	48 V	24-85-13	510	23.9	38.2	20.6	22.9	2256
N/Cov. SB350Gry Connector: 1540 Min. Weight: Term: B10 3 Wheel-Sit down								
5FBE15(48v/22"W) 5FBE18(48v/22"W) 5FBE20(48v/22"W) 39.30 21.70 23.00	48 V	24-85-13	510	23.9	38.2	20.6	22.9	2256
N/Cov. SB350Gry Connector: 1540 Min. Weight: Term: B10 3 Wheel-Sit down								
7FB30 7FBJ35 37.36 32.06 22.45	80 V	40-75-11	Call for more information (630) 851-5800					
N/Cov. SBX350Gry Connector: 2320 Min. Weight: Term: A14 Rider-Sit down								
7FBCU15 (36v) 34.60 26.80 23.80	36 V	18-85-17	680	23.9	33.1	25.6	22.9	2142
N/Cov. SB350Gry Connector: 1840 Min. Weight: Term: B16 4 Wheel-Sit down								
7FBCU15 (48v) 34.60 26.80 23.80	48 V	24-85-13	510	23.9	30.6	25.4	22.9	2256
N/Cov. SB350Gry Connector: 1840 Min. Weight: Term: B16 4 Wheel-Sit down								

TOYOTA FORKLIFT MODEL BATTERY COMPARTMENT SIZE (Inches)	V O L T	BATTERY MODEL #	CAPACITY 6 HOUR RATE		BATTERY DIMENSIONS			TOTAL BATTERY WEIGHT (Lbs.)
			Ah	kWh	X in. (Length)	Y in. (Width)	Z in. (Height)	
7FBCU18 (36v) 34.60 26.80 23.80	36 V	18-85-17	680	23.9	33.1	25.6	22.9	2142
N/Cov. SB350Gry Connector: 2000 Min. Weight: Term: B16 4 Wheel-Sit down								
7FBCU18 (48v) 34.60 26.80 23.80	48 V	24-85-13	510	23.9	30.6	25.4	22.9	2256
N/Cov. SB350Gry Connector: 2000 Min. Weight: Term: B16 4 Wheel-Sit down								
7FBCU20 (36v) 7FBCU25 (36v) 39.10 30.50 23.80	36 V	18-85-25	1020	35.8	38.1	29.9	22.9	2988
N/Cov. SB350Gry Connector: 2400 Min. Weight: Term: B16 4 Wheel-Sit down								
7FBCU20 (48v) 7FBCU25 (48v) 39.10 30.50 23.80	48 V	24-85-19	765	35.8	38.1	29.5	22.9	3120
N/Cov. SB350Gry Connector: 2400 Min. Weight: Term: B16 4 Wheel-Sit down								
7FBCU30 (36v) 7FBCHU25(36v) 7FBCU32 (36v) 39.10 34.30 23.80	36 V	18-85-29	1190	41.8	38.2	33.6	22.9	3492
N/Cov. SB350Gry Connector: 3000 Min. Weight: Term: B16 4 Wheel-Sit down								
7FBCU30 (48v) 7FBCHU25(48v) 7FBCU32 (48v) 39.10 34.30 23.80	48 V	24-85-21	850	39.8	38.1	32.6	22.9	3408
N/Cov. SB350Gry Connector: 3000 Min. Weight: Term: B16 4 Wheel-Sit down								
7FBCU35 (36v) 7FBCU45 (36v) 45.20 39.20 23.80	36 V	18-85-33	1360	47.7	38.2	38.2	22.9	4032
N/Cov. SB350Gry Connector: 3400 Min. Weight: Term: B16 4 Wheel-Sit down								
7FBCU35 (48v) 7FBCU45 (48v) 45.20 39.20 23.80	48 V	24-85-29	1190	55.7	44.8	38.2	22.9	4656
N/Cov. SB350Gry Connector: 3600 Min. Weight: Term: B16 4 Wheel-Sit down								
7FBCU55 (36v) 45.20 45.70 23.80	36 V	36-85-21	Call for more information (630) 851-5800					
N/Cov. SB350Gry Connector: 4230 Min. Weight: Term: B16 Rider-Sit down								

TOYOTA FORKLIFT MODEL BATTERY COMPARTMENT SIZE (Inches)	V O L T	BATTERY MODEL #	CAPACITY 6 HOUR RATE Ah	kWh	BATTERY X in. (Length)	DIMENSIONS Y in. (Width)	Z in. (Height)	TOTAL BATTERY WEIGHT (Lbs.)
7FBCU55 (48v) 45.20 45.70 23.80	48 V	24-85-33	Call for more information (630) 851-5800					
N/Cov. SB350Gry Connector: 4230 Min. Weight: Term: B16 Rider-Sit down								
7FBEHU18(36v) 7FBEU20(36v) 39.20 25.10 24.10	36 V	18-85-21	850	29.8	38.1	24.6	22.9	2556
N/Cov. SB350Gry Connector: 2105 Min. Weight: Term: B10 3 Wheel-Sit down								
7FBEHU18(48v) 7FBEU20(48v) 39.20 25.10 24.10	48 V	24-85-15	595	27.8	38.2	23.6	22.9	2568
N/Cov. SB350Gry Connector: 2105 Min. Weight: Term: B10 3 Wheel-Sit down								
7FBEU15(36v) 7FBEU18(36v) 39.20 21.70 24.10	36 V	18-85-17	680	23.9	38.1	20.1	22.9	2142
N/Cov. SB350Gry Connector: 1543 Min. Weight: Term: B10 3 Wheel-Sit down								
7FBEU15(48v) 7FBEU18(48v) 39.20 21.70 24.10	48 V	24-85-13	510	23.9	38.2	20.6	22.9	2256
N/Cov. SB350Gry Connector: 1543 Min. Weight: Term: B10 3 Wheel-Sit down								
7FBH15 7FBH18 32.30 28.10 21.50	48 V	24-75-13	Call for more information (630) 851-5800					
N/Cov. SB350Gry Connector: 1775 Min. Weight: Term: A14 4 Wheel-Sit down Trk dims:								
7FBH20 7FBH25 35.90 32.30 21.50	48 V	24-75-17	Call for more information (630) 851-5800					
N/Cov. SB350Gry Connector: 2305 Min. Weight: Term: A14 4 Wheel-Sit down Trk dims:								
FBCA 30 (36v) 41.40 31.30 23.00	36 V	18-85-25	1020	35.8	328.1	29.9	22.9	2988
N/Cov. SB350Gry Connector: 0 Min. Weight: Term: B16 4 Wheel-Sit down Trk dims:								

TOYOTA FORKLIFT MODEL BATTERY COMPARTMENT SIZE (Inches)	V O L T	BATTERY MODEL #	CAPACITY 6 HOUR RATE Ah	kWh	BATTERY X in. (Length)	DIMENSIONS Y in. (Width)	Z in. (Height)	TOTAL BATTERY WEIGHT (Lbs.)
--	------------------	--------------------	----------------------------------	-----	---------------------------------	-----------------------------------	----------------------	--------------------------------------

FBCA 30 (48v) 48 V 24-85-19 765 35.8 38.1 29.5 22.9 3120
41.40 31.30 23.00

N/Cov. SB350Gry Connector: 0 Min. Weight: Term: B16 4 Wheel-Sit down Trk dims:

FBCA10(36v) 36 V 18-85-17 680 23.9 33.1 25.6 22.9 2142
FBCA15(36v)
34.60 26.80 23.40

N/Cov. SB350Gry Connector: 0 Min. Weight: Term: B16 4 Wheel-Sit down Trk dims:

FBCA10(48v) 48 V 24-85-13 510 23.9 30.6 25.4 22.9 2256
FBCA15(48v)
34.60 26.80 23.40

N/Cov. SB350Gry Connector: 0 Min. Weight: Term: B16 4 Wheel-Sit down Trk dims:

FBCA20(36/28") 36 V 18-85-23 935 32.8 38.1 26.9 22.9 2736
FBCA25(36/28")
39.10 28.00 23.00

N/Cov. SB350Gry Connector: 0 Min. Weight: Term: B16 4 Wheel-Sit down Trk dims:

FBCA20(36/36") 36 V 18-85-31 1275 44.8 38.1 36.2 22.9 3780
FBCA25(36/36")
39.10 36.60 23.00

N/Cov. SB350Gry Connector: 0 Min. Weight: Term: B16 4 Wheel-Sit down Trk dims:

FBCA20(48/28") 48 V 24-85-17 680 31.8 38.1 26.9 22.9 2856
FBCA25(48/28")
39.10 28.00 23.00

N/Cov. SB350Gry Connector: 0 Min. Weight: Term: B16 4 Wheel-Sit down Trk dims:

FBCA20(48/36") 48 V 24-85-23 935 43.8 38.2 35.6 22.9 3648
FBCA25(48/36")
39.10 36.60 23.00

N/Cov. SB350Gry Connector: 0 Min. Weight: Term: B16 4 Wheel-Sit down Trk dims:

TOYOTA FORKLIFT MODEL BATTERY COMPARTMENT SIZE (Inches)	V O L T	BATTERY MODEL #	CAPACITY 6 HOUR RATE Ah	kWh	BATTERY X in. (Length)	DIMENSIONS Y in. (Width)	Z in. (Height)	TOTAL BATTERY WEIGHT (Lbs.)
--	------------------	--------------------	----------------------------------	-----	---------------------------------	-----------------------------------	----------------------	--------------------------------------

Class 2

6BNCU17 6BNCU19 38.81 18.12 31.50	36 V	18-125-15	875	30.7	38.1	17.7	30.3	2538
---	------	-----------	-----	------	------	------	------	------

N/Cov. SB350Gry Connector: 2175 Min. Weight: Term: D9 Rider-Stand up Trk dims:

6BNCU20 6BNCU23 6BNCU25 6BNCU28 38.88 20.75 31.50	36 V	18-125-17	1000	35.1	38.1	20.1	30.3	2844
---	------	-----------	------	------	------	------	------	------

N/Cov. SB350Gry Connector: 2700 Min. Weight: Term: D9 Rider-Stand up Trk dims:

6BNCU30 38.88 20.75 31.50	36 V	18-125-17	1000	35.1	38.1	20.1	30.3	2844
------------------------------	------	-----------	------	------	------	------	------	------

N/Cov. SB350Gry Connector: 2800 Min. Weight: Term: D9 Rider-Stand up Trk dims:

6BNCUE15 6BNCU15 6BNCUE18 6BNCU18 38.75 16.12 31.50	36 V	18-125-13	750	26.3	38.1	15.4	30.3	2250
---	------	-----------	-----	------	------	------	------	------

N/Cov. SB350Gry Connector: 1925 Min. Weight: Term: D9 Rider-Stand up Trk dims:

6BPU-15 (13") 31.50 13.25 32.25	24 V	12-125-13	750	17.6	30.6	12.8	30.3	1500
------------------------------------	------	-----------	-----	------	------	------	------	------

N/Cov. SB350Red Connector: 920 Min. Weight: Term: C20 Order Picker Trk dims:

6BPU-15 (14") 36.75 14.50 32.25	24 V	12-125-15	875	20.5	36	14	30.3	1692
------------------------------------	------	-----------	-----	------	----	----	------	------

N/Cov. SB350Red Connector: 920 Min. Weight: Term: C12 Order Picker Trk dims:

6BRU18 (24/14") 6BSU20 (24/14") 38.75 14.40 32.00	24 V	12-125-17	1000	23.4	38	13	30.3	1896
---	------	-----------	------	------	----	----	------	------

N/Cov. SB350Gry Connector: 1600 Min. Weight: Term: C15 Reach

TOYOTA FORKLIFT MODEL BATTERY COMPARTMENT SIZE (Inches)	V O L T	BATTERY MODEL #	CAPACITY 6 HOUR RATE Ah	kWh	BATTERY X in. (Length)	Y in. (Width)	Z in. (Height)	TOTAL BATTERY WEIGHT (Lbs.)
6BRU18 (36/14") 6BSU20 (36/14") 38.75 14.40 32.00	36 V	18-125-11	625	21.9	38.2	13.2	30.3	1890
N/Cov. SB350Gry Connector: 1600 Min. Weight: Term: C15 Reach								
6BRU18 (36/16") 6BSU20 (36/16") 38.75 16.40 32.00	36 V	18-125-13	750	26.3	38.1	15.4	30.3	2250
N/Cov. SB350Gry Connector: 1600 Min. Weight: Term: C15 Reach								
6BRU23(20") 6BSU25(20") 6BDRU15(20") 38.75 20.90 32.00	36 V	18-125-17	1000	35.1	38.1	20.1	30.3	2844
N/Cov. SB350Gry Connector: 2000 Min. Weight: Term: B Reach Trk dims:								
6BSU20 (24/16") 6BRU18 (24/16") 38.75 16.40 32.00	24 V	12-125-19	1125	26.3	38.2	14.8	30.3	2136
N/Cov. SB350Gry Connector: 1600 Min. Weight: Term: C15 Reach								
6BSU25(16") 6BDRU15(16") 6BRU23(16") 38.75 16.40 32.00	36 V	18-125-13	750	26.3	38.1	15.4	30.3	2250
N/Cov. SB350Gry Connector: 2000 Min. Weight: Term: B15 Reach Trk dims:								
6BVNCU13 38.88 20.75 31.50	36 V	18-125-17	1000	35.1	38.1	20.1	30.3	2844
N/Cov. SB350Gry Connector: 2850 Min. Weight: Term: D9 Rider-Stand up Trk dims:								
6FBRE-16/20(14") 48.00 14.20 31.25	48 V	125-9	Call for more information (630) 851-5800					
W/Cover SB350Gry Connector: 0 Min. Weight: Term: A30 Reach-Narrow aisle Trk dims:								
6FBRE-16/20(16") 48.00 16.75 31.25	48 V	24-125-11	Call for more information (630) 851-5800					
W/Cover SB350Gry Connector: 0 Min. Weight: Term: A30 Reach-Narrow aisle Trk dims:								

TOYOTA FORKLIFT MODEL BATTERY COMPARTMENT SIZE (Inches)	V O L T	BATTERY MODEL #	CAPACITY 6 HOUR RATE Ah	kWh	BATTERY X in. (Length)	DIMENSIONS Y in. (Width)	Z in. (Height)	TOTAL BATTERY WEIGHT (Lbs.)
7BNCU15 7BNCU18 38.50 18.50 32.30	36 V	18-125-15	875	30.7	38.1	17.7	30.3	2538
N/Cov. SB350Gry Connector: 2300 Min. Weight: Term: D9 Rider-Stand up Trk dims:								
7BNCU20 38.50 21.25 32.30	36 V	18-125-17	1000	35.1	38.1	20.1	30.3	2844
N/Cov. SB350Gry Connector: 2600 Min. Weight: Term: D9 Rider-Stand up Trk dims:								
7BNCU25 38.50 23.75 32.30	36 V	18-125-19	1125	39.5	38.2	22.6	30.3	3204
N/Cov. SB350Gry Connector: 2700 Min. Weight: Term: D9 Rider-Stand up Trk dims:								
7BPUE-15 (13") 31.50 13.25 32.25	24 V	12-125-13	750	17.6	30.6	12.8	30.3	1500
N/Cov. SB350Red Connector: 920 Min. Weight: Term: C20 Order Picker Trk dims:								
7BPUE-15 (14") 36.75 14.50 32.25	24 V	12-125-15	875	20.5	36	14	30.3	1692
N/Cov. SB350Red Connector: 920 Min. Weight: Term: C12 Order Picker Trk dims:								
7BRU18 (24/14") 7BSU20 (24/14") 38.75 14.40 32.00	24 V	12-125-17	1000	23.4	38	13	30.3	1896
N/Cov. SB350Gry Connector: 1600 Min. Weight: Term: C15 Reach								
7BRU18 (36/14") 7BSU20 (36/14") 38.75 14.40 32.00	36 V	18-125-11	625	21.9	38.1	13.1	30.3	1890
N/Cov. SB350Gry Connector: 1600 Min. Weight: Term: C15 Reach								
7BRU18 (36/16") 7BSU20 (36/16") 38.75 16.40 32.00	36 V	18-125-13	750	26.3	38.1	15.4	30.3	2250
N/Cov. SB350Gry Connector: 2000 Min. Weight: Term: C15 Reach Trk dims:								

TOYOTA FORKLIFT MODEL BATTERY COMPARTMENT SIZE (Inches)	V O L T	BATTERY MODEL #	CAPACITY 6 HOUR RATE Ah kWh	BATTERY X in. (Length)	DIMENSIONS Y in. (Width)	Z in. (Height)	TOTAL BATTERY WEIGHT (Lbs.)
--	------------------	--------------------	--------------------------------------	---------------------------------	-----------------------------------	----------------------	--------------------------------------

7BRU23(20") 36 V 18-125-17 1000 35.1 38.1 20.1 30.3 2844
 7BSU25(20")
 7BDRU15(20")
 38.75 20.90 32.00

N/Cov. SB350Gry Connector: 2400 Min. Weight: Term: B15 Reach Trk dims:

7BSU20 (24/16") 24 V 12-125-19 1125 26.3 38.2 14.8 30.3 2136
 7BRU18 (24/16")
 38.75 16.40 32.00

N/Cov. SB350Gry Connector: 2000 Min. Weight: Term: C15 Reach Trk dims:

7BSU25(16") 36 V 18-125-13 750 26.3 38.1 15.4 30.3 2250
 7BDRU15(16")
 7BRU23(16")
 38.75 16.40 32.00

N/Cov. SB350Gry Connector: 2000 Min. Weight: Term: B15 Reach Trk dims:

Class 3

6BWC10 24 V 12-85-13 510 11.9 30.6 12.8 23.3 1128
 6BWC15
 6BWC20
 32.30 13.30 40.00

W/Cover SB175Red Connector: 950 Min. Weight: Term: B20 Pallet-Walkie stacker

6BWR15 24 V 12-85-13 510 11.9 30.6 12.8 23.3 1128
 6BWS15
 6BWS20
 32.30 13.30 40.00

W/Cover SB175Red Connector: 950 Min. Weight: Term: B20 Pallet-Walkie stacker

6BWS11 24 V 12-85-7 255 6 25.4 8.7 23.3 708
 32.30 9.00 40.00

W/Cover SB175Red Connector: 300 Min. Weight: Term: B20 Pallet-Walkie stacker Trk dims:

6HBE30 24 V 12-85-13 510 11.9 30.6 12.8 23.3 1128
 6HBE40
 31.25 13.44 40.00

W/Cover SB175Gry Connector: 965 Min. Weight: Term: B18 Pallet truck

TOYOTA FORKLIFT MODEL BATTERY COMPARTMENT SIZE (Inches)	V O L T	BATTERY MODEL #	CAPACITY 6 HOUR RATE Ah	kWh	BATTERY X in. (Length)	DIMENSIONS Y in. (Width)	Z in. (Height)	TOTAL BATTERY WEIGHT (Lbs.)
--	------------------	--------------------	----------------------------------	-----	---------------------------------	-----------------------------------	----------------------	--------------------------------------

6HBW/20 28.50 9.00 40.00	24 V	12-85-7	255	6	25.4	8.7	23.3	708
-----------------------------	------	---------	-----	---	------	-----	------	-----

W/Cover SB175Gry Connector: 200 Min. Weight: Term: B12 Pallet truck Trk dims:

6HBW/23(24v/8") 7HBW/23(24v/8") 26.50 7.75 40.00	24 V	12-85-5	170		24.8	6.5	23.3	576
--	------	---------	-----	--	------	-----	------	-----

W/Cover SB175Red Connector: 200 Min. Weight: Term: B12 Pallet truck Trk dims:

6HBW/23(24v/9") 7HBW/23(24v/9") 26.50 9.00 40.00	24 V	12-85-7	255	6	25.4	8.7	23.3	708
--	------	---------	-----	---	------	-----	------	-----

W/Cover SB175Red Connector: 200 Min. Weight: Term: B12 Pallet truck Trk dims:

6HBW/30 (9") 7HBW/30 (9") 31.50 9.19 40.00	24 V	12-85-7	255		25.4	8.7	23.3	708
--	------	---------	-----	--	------	-----	------	-----

W/Cover SB175Gry Connector: 490 Min. Weight: Term: B18 Pallet truck Trk dims:

6HBW30(13") 6HBC30 6HBC40 7HBW30(13") 31.50 13.44 40.00	24 V	12-85-13	510	11.9	30.6	12.8	23.3	1128
---	------	----------	-----	------	------	------	------	------

W/Cover SB175Gry Connector: 965 Min. Weight: Term: B18 Pallet truck

6TB50 7TB50 31.75 13.44 40.00	24 V	12-125-13	750	17.6	30.6	12.8	23.3	1500
-------------------------------------	------	-----------	-----	------	------	------	------	------

W/Cover SB175Gry Connector: 965 Min. Weight: Term: B18 Tugger

7BWS10(7") 7BWS13(7") 27.30 6.80 40.00	24 V	12-85-5	170	4	24.8	6.5	23.3	576
--	------	---------	-----	---	------	-----	------	-----

W/Cover SB175Red Connector: 290 Min. Weight: Term: B15 Pallet truck Trk dims:

TOYOTA FORKLIFT MODEL BATTERY COMPARTMENT SIZE (Inches)	V O L T	BATTERY MODEL #	CAPACITY 6 HOUR RATE Ah	kWh	BATTERY X in. (Length)	DIMENSIONS Y in. (Width)	Z in. (Height)	TOTAL BATTERY WEIGHT (Lbs.)
7BWS10(8") 7BWS13(8") 27.30 7.80 40.00	24 V	12-85-5	170	4	24.8	6.5	23.3	576
W/Cover SB175Red Connector: 290 Min. Weight: Term: B15 Pallet truck Trk dims:								
7BWS10(9") 7BWS13(9") 27.30 9.00 40.00	24 V	12-85-7	255	6	25.4	8.7	23.3	708
W/Cover SB175Red Connector: 290 Min. Weight: Term: B15 Pallet truck Trk dims:								
7HBE30 7HBE40 7HBC30 7HBC40 31.50 13.44 40.00	24 V	12-85-13	510	11.9	30.6	12.8	23.3	1128
W/Cover SB175Gry Connector: 490 Min. Weight: Term: B18 Pallet truck								
CBT4(21"H) 29.33 19.57 20.60	48 V		Call for more information (630) 851-5800					
N/Cov. SB175Red Connector: 794 Min. Weight: Term: B8 Sit down tugger								
CBT4(23"H) 29.33 19.57 23.40	48 V	24-85-9	340	15.9	29.3	19.4	22.9	1680
N/Cov. SB175Red Connector: 860 Min. Weight: Term: C13 Sit down tugger								
CBT6(21"H) 29.33 19.57 20.60	48 V		Call for more information (630) 851-5800					
N/Cov. SB175Red Connector: 794 Min. Weight: Term: B8 Sit down tugger								
CBT6(23"H) 29.33 19.57 23.40	48 V	24-85-9	340	15.9	29.3	19.4	22.9	1680
N/Cov. SB175Red Connector: 970 Min. Weight: Term: C13 Sit down tugger								
CBTY4 29.20 19.60 18.70	48 V	24-55-9	Call for more information (630) 851-5800					
N/Cov. SB175Red Connector: 0 Min. Weight: Term: A15 Stand up Tugger								